

PO No	Supplier	Line Item No	Rei No	Terms	Purchased Item	Description	For Part No	Project	Equipment ID	Order Qty	Due Date	Received Quantity	Accounting Job No	Serial No	Status	Receive Date	Price/Unit	Aging Days	Past Due	Total	Supplie Name
PO038599	MECO02- VU	1	1	Net 30	B1.250X02.000	17-4 SS Bar 1.250 x 2.00 : MATERIAL: 17-4 PH SS BAR AS PER AMS GRAIN MUST BE ALONG LENGHT OF BAR MIN. YIELD TENSILE STRENGTH = 100 KSI MIN. ULTIMATE TENSILE STRENGTH = 150 KSI 60 KSI 6				12	12/22/2017	134		\$030457	Stock	1/9/2018	\$ 53.29 / ft	0			Metaux Castle
									Total:	12		14							\$	724.74	

Plex 1/9/2018 12:44 PM Dart.Plouffe.Sonia

Status: Receiving

Part: M17-4-B1.250X02

Created: 1/9/18 12:44 PM DART.PLOUFFE.SO

Serial No: **\$030457** 



### PACKING SLIPA CERTIFICATE OF CONFORMANCE

A. M. Castle & Co.

Page 1 of 2

Ę

ROSPACE LTD 1270 ABERDEEN BURY. ON K6A 1K7 R6A 1K7 CAN			Sold To:	Ship To:	Shipment No:3477326 Deliver To:
Freight Terms	A. M. CASTLE & CO. 2150 ARGENTIA ROAD MISSISSAUGA, ON L5N 2K7 CAN		DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY. ON K6A 1K7 CA		DART AEROSPAČE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
Prepaid   MaNITOULIN   3477326-2	F.0.B.		Freight Terms	Carrier	BOL No
Item No   Description   Secretarion   Secr	ORIGIN		Prepaid	MANITOULIN	3477326-2
Item No				Final Destination Branch	- TOR
9166.BO  156.00  SPECIFICATIONS: AMS 5643  ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY  ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S  Email P/s and certs to: clavoie@dartaero.com  Ordered Qty  102.00 LBS  RECEIVE AT TIME OF DELIVERY  ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S  and certs to: clavoie@dartaero.com  R: DART AEROSPACE  : COMMERCIAL AIRCRAFT PARTS  Heat Number  Mech Id PCS  Width (IN) Length (IN) Shipped Qty(LBS)  110.000  117.0521	Line No		Item No	Description	
SPECIFICATIONS: AMS 5643 ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S ENAL MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY  102.00 LBS  R: DART HAVE IDENTIFYING MARKINGS EX:HEAT #'S and certs to: clavoie@dartaero.com R: DART AEROSPACE : COMMERCIAL AIRCRAFT PARTS  Heat Number  Mech Id PCS Width (IN) Length (IN) Shipped Qty(LBS) 11.0000 110.000 110.000 110.000	1	1	9166.80	7.2500.2.0000.FLAT.17CR	R-4NI.STAINLESS.HR.ANN.PICKLE.132.0000
art Number  ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S  Email P/s and certs to: clavoie@dartaero.com  Ordered Qty  102.00 LBS  ERIAL MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT VIME OF DELIVERY  R: DART AEROSPACE  COMMERCIAL AIRCRAFT PARTS  Heat Number  Mech Id  1.0000  165.2500  17.0521				SPECIFICATIONS: AMS	5643 FOLLOW ORDER / CUSTOMER MUST
ered Qty  00 LBS  CUSTOMER MUST RECEIVE AT TIME OF DE ARKINGS EX:HEAT #'S  In poice Qt  13.7708 FT  CUSTOMER MUST RECEIVE AT TIME OF DE ARKINGS EX:HEAT #'S  In poice Qt  13.7708 FT  13.7708 FT  13.7708 FT  14.0000  15.2500				ALL MATERIAL MUST HA	LIVERY  WE IDENTIFYING MARKINGS EX:HEAT #'S
CUSTOMER MUST RECEIVE AT TIME OF DE MARKINGS EX:HEAT #'S  INDOOR 165.2500	Order No Pa	0	art Number	Ordered Qty	avoie@danaero.com
CUSTOMER MUST RECEIVE AT TIME OF DE MARKINGS EX:HEAT #'S  IA PCS Width (IN) Length (IN)  1.0000 165.2500				102.00 LBS	+
ld PCS Width (IN) Length (IN) 1.0000 165.2500	ALL PAPERWORK ALL MATERIAL MU	W E	RWORK MUST FOLLOW OF RIAL MUST HAVE IDENTIFY	RDER / CUSTOMER MUST R	EIVE AT
d PCS Width (IN) Length (IN) 1.0000 165.2500	Email P/s	S	and certs to: clavoie@dartaer	ro.com	(
1 1.0000 165.2500	END USE END USE	шш	K: DART AEROSPACE : COMMERCIAL AIRCRAFT F	PARTS	
165.2500	Mill/Source		Heat Number	d PCS	Length (IN)
			27.1.86.4	2.1	165.2500
The state of the s					

Date Printed: 08-JAN-2018 03:06:19 PM



## PACKING SLIP/ CERTIFICATE OF CONFORMANCE

A. M. Castle & Co.

Page 2 of 2

i heroby cerufy the material covered by this certificate examination. All cit streets are on file subject to examination. All cit credit.  Veredit by Authorized Castle Metals Representativewed by Authorized Castle Metals
--

Date: Name: JAN 0 8 2018

Date Printed: 08-JAN-2018 03:06:19 PM



Dart Aerospace Ltd. 1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada

**PURCHASE ORDER** PO038599

Tel (613) 632-5200

Supplier: MEC002-VU

Metaux Castle

P.O. Box 4090 Stn A

Toronto ON

M5W OE9 Canada

PO No:

PO038599

PO Date:

12/7/17 12/22/17

Due Date:

**Purchase Order** 

Revision:

**Revision Date:** Ship-To Contact:

Lavoie, ChantalPhone:

clavoie@dartaero.com

Ship To:

1270 Aberdeen Street

Hawkesbury

ON

K6A 1K7 Canada Phone: 613-632-5200 Via:

Ground

**Pymt Terms:** 

Net 30

Freight Terms: **Special Comments:** 

			items						
Line Item	Part	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (USD)	Extended Price
1	M17-4-B1.250X02.000	17-4 SS Bar 1.250 x 2.00 : MATERIAL: 17-4 PH SS BAR AS PER AMS 5604/5643 GRAIN MUST BE ALONG LENGHT OF BAR MIN. YIELD TENSILE STRENGTH = 100 KSI MIN. ULTIMATE	Firmed	12/22/17	12 ft	β, 4	12 ft	\$53.29/ft	\$639.48
2	M7075T6S4.000X3.000	TENSILE STRENGTH = 150 KSI receive ft 7075-T6S Sheet 4.000" Thick X 3.000" Wide : MATERIAL: 7075- T6/T62 ALUMINUM SHEET AS PER QQ- A-250/12 OR AMS- QQ-A-250/12 OR AMS	Firmed	12/22/17	A2 ft	0 ft	12 ft	\$82.60/ft	

Line Item Note NOTE: PLEASE CUT IN SECTION OF 6 FT LENGHT

4045 OR ASTM B209

receive ft

Grand Total: \$1,630.68

**Order Notes** 

### **Order Notes**

Procurement Quality Clauses

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program

A049 supplier awareness

Terms & Condition of Purchasing (Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 12/7/17 3:12 PM dart.lavoie.chantal

### **Chantal Lavoie**

From:

Desbiens, Marc <mdesbien@amcastle.com>

Sent:

Thursday, November 30, 2017 11:36 AM

To:

Chantal Lavoie

Subject:

RE: quote

Hi Chantal,

36419

price an delivery on item.

17-4 bar 1.250" x 2" x 12 ft \$53.29 Ft 2 weeks 7075-t6 plate 4" x 3" x 12 ft \$82.60 Ft 2-3 weeks

7075-t6 plate 4" x 4" cut at 32" x 10 pcs \$ 254.00 piece

2-3 weeks

Thanks

Marc Desbiens Inside sales representative Castle Metals, Montreal, QC Direct line 514-795-8176 1-800-806-6660 ext 52226 Fax # 1-855-892-6370

Customized Supply Chain Solutions for Your Metal Needs

This E-mail may contain proprietary information and may be confidential. You are to treat this material in accordance with your company's confidentiality policies and limit any distribution accordingly.

If you are not the intended recipient of this E-mail, you are hereby notified that any dissemination, distribution or copying of this message is strictly prohibited. If you received this message in error, please delete it immediately.



RATINGS FREQUENCY

RATINGS SEVERITY


A

### Acciaierie Valbruna s.p.A.

38100 VICENZA (Italia) - Viale delta scienza, 25 ; 1. Telelena 9444,065211 - Fix C444,063836 Stab ; 39100 BOLZANO (Italia) - Via A. Volta, 4/37 Telelena 9471,824111 - Fix C471,824497

### CERTIFICATO DI COLLAUDO - ABNAHMEPRUEFZEUGNIS - INSPECTION CERTIFICATE - CERTIFICAT DE RECEPTION

In conformata a: EN 10204 (2004), 3.1 / ISO 10474 (2013), 3.1 Conifcato ni. MEST067357 / 2017 / IMAMPI AREMA State at familians . Hol rolled Descaled COND. A Hot VALBRUNA STAINLESS INC rolled 2400 TAYLOR STREET WEST 46801 - FORT WAYNE, IN 46801 - US ACCIAIERIE VALBRUNA S.P.A. Tipo di Elaborazione. E+AOD Marchi di Fatonca: Ordino nr. 51584 STOCK CAROL STR Punzone del Callaudatore: 630 MR Qualita: Conforma ordine nr. El16011062 Punzarusters 630 Anico di Spedizione D-VI17013311 V174 Marce: Erent | Number SPECIFICHE . mar : Rag VSI FLAT 2. 630 A AISI 630 AMS 2303 F AMS 5643 U S17400 A AMS-H-6875 B NOVEMBER 2010 ASME SA564 2015 517400 A (D) MARCHON I PLA 2015 FOLITON ASTM ASSO 2015 . ASTM ASS4 2013 S17400 A ASTM E899 2012 630



1,10

1,05

0

.\_2

Vicenza, 09/05/17	C codewdatore di stabilimento i qui Werksaschverstjurdige / Works Inspector i L'agent d'unive	
VC0006 - MESTD67357	M. RIZZOTTO Leuk	Pagina - 1 dl 3
(Mod MCC2)	MI. TOLEGI TIELY	
	eder e in a company of the company o	,



### Acciaierie Valbruna s.p.A.

36100 VICENZA (Italia) - Vielo sella scienza, 25 z.f. Tulufono 0444.968211 - Fax 0444.963838 Stab.: 39100 801.2ANO (Italib) - Vio A. Volta, 4/37 Telefono 0471,824:11 - Fax 0471,924497

### CERTIFICATO DI COLLAUGO - ABNAHMEPRUEFZEUGNIS - INSPECTION CERTIFICATE - CERTIFICAT DE RECEPTION

In conformation: EN 10204 (2004), 3.1 / ISO 10474 (2013), 3.1 PROTEST STREET

Conficato or. MEST067357 / 2017 / History towards

Clonia / Besinia Purchaser Clani VALBRUNA STAINLESS INC. 2400 TAYLOR STREET WEST 45801 - FORT WAYNE, IN 46801 - US

State of femiliars: Hot rolled Described COND. A Hot Produttore:

pellor

Marchi di Fabbrica:

ACCIAIERIE VALBRUNA S.P.A.

Ordine nr 51504 STOCK CAROL STR

PRESENT STREETS FOUR FUNDAMENTAL BATTLES Qualità:

Too of Elaborations: E-40D

Zeigran das Laduminarias Trata marks Signis Sti Tumni produstioni

Punzons del Collecciolore: Standard das et artemasterratidatel gran tradestra a scareptimingen de l'a mayeux

MR

Conferma ordine nr. El16011062 Wasan Can Cham Mad In Awiso di Spedizione D-VI17013311

Marca: Branc / Nus nos

more attendations

V174

630

Purzonature: 600

							Sample o	000H .bnc					
Too Trans	=	Temporatur		roddamor	Pormanence	Too Instances	Terroteratura	Rafrodeumente	Permanerua	Tipo Transmento	Tomoeratura	Railrecomento	Permenent
		BOST' #		4IA	1 -				<u> </u>				
TEST	1		°F			Shervamento		Allungamon	10	Sittions	Resilien	***	HB
-	or richic			nin a ×	170	-	190	-	10 -	40	•		388 444
В	1	2,5 ;	68	L	183		214		16	54		432	

Mechanical properties according to ASTM A370.

Delta Ferrite according to AMS 2315.

					Cree			himic							
COMIN PLANT	Wat 2012	• 200	1 100	13 00 17 00	دعره	3.00	2,90	1:	0 045	0 030	00%	<u> </u> :  :		]- :-	1:
i	C % '	Si %	, Mn %	Cr %	Mo %	Cu %	Ni %	Co %	P %	S %	N %	Ta %		1967 - December	
271864	0.039	0.43	0.49	15.11	0.24	3,30	4.58	0.053	0.025	0.001	J C.033	0.0043			
Chill Hear Towns or Cales	7,130 7,130		rc 2 =	<u>.</u>	-			[:		_	- <del></del> -	A commence to the district of the	[:		-  • • • •
	N55	6-Ta%		CS(NE	)%								i		į
271864	i	0,281		9.2	77	i									

Micro and macro etch test: satisfactory. Produced without class I-II Ozone depleting substances.

Macroeich test per ASTM E340: acceptable. Furnace calibrated according to AMS-H-5875. Pyrometry in accordance with AMS2750. Reduction ratio = 20,1:1

Material solution ennealed 1904°F for 1 h, air cooled to below 90°F. Material Is DFARS Compliant

Sono state sedesfatto tutto lo constitioni richieste De gestate indergeunger and E. Anego aster; The translation been furthered to accordance with the requisioners (a material E de transc conforme des explanous Controllo antimos colonza: OK Visioni Tubul Sprikking impediately Antimony looking partnessed DK Contribution and readings less risks

Controllo visivo e dimensionale: socialis la esigenze Somethighty and Assimisering State Beetschaupung Vasuel vogesten and dynamiseral phasis antidestry Santide neuer at dynamisers i saledonieri

	T	
Vicenza, 09/05/17	E cedeudeton di etablimento i der Werkseachnenstämbge i Works Inspector i L'egant d'ustre  M. RIZZOTTOL	Pagina - 2 di 3
(Mod MCEZ)	<i>y</i>	



### Acciaierie Valbruna s,p.A.

38100 VICENZA (Italia) - Viale delle scienza, 25 ±1. Telefono 0444.983211 - Fax 0444.983238 Stab.: 39100 BOLZARO (Italia) - Vin A. Volta, 4/37 Telefono 0471 824111 - Fax 0471.924497

### CERTIFICATO DI COLLAUDO - ABNAHMEPRUEFZEUGNIS - INSPECTION CERTIFICATE - CERTIFICAT DE RECEPTION

In applicaments a: EN 10204 (2004), 3.1 / ISO 10474 (2013), 3.1 Nucl'Actuating to/Swin

Certifications. MEST057357 / 2017 /

Cliente / Cestaller Purcha sortCrent VALERUNA STAINLESS INC. 2400 TAYLOR STREET WEST 45801 - FORT WAYNE, IN 46801 - US

State di territura :

Hot rolled Descaled COND, A Hot Producting: pellor

ACCIAIERIE VALBRUNA S.P.A.

Ordine nr: 51504 STOCK CAROL STR

TOU DITE

630

Marchi of Fattance: Punzone del Colloudatore:

Conferma ordine nr. El16011062 MILLOU DISMANIN

Awisa di Specialone D-VI17013311

SEATTING

Tipo di Elaborazione. E-AOD

Stemper Del 17 sresultanement per Pripactor la MatholPorrigun de l'esse

MR

Marce:

V174

Purzonatura, 620

Motac and manufactures in Italy

No welding or wald repair. Material free from Mercury contamination

We declare that the finished product is checked for radioactive contamination through Pencil System when cleaves the production atant

QUALITY MANAGEMENT SYSTEM CERTIFIED BY LLOYD'S REGISTER ACCORDING TO ISO 9801 : 2008, ISO/TS15948 : 2009, AS 8100C

The Questry Management System is Certified acc. Pressure Equipment Directive [197/22/EC] Aureat 1,5.,4.3 and 2014/08/EU by TUEV and LLOYD'S Any act of tampering, modification, obtained, counterfalting analyst taleficiation analyst any other action which modifies the contents of the test certificate shall constitute a violation of applicable cityl and criminal laws. Accidental Valentine shall protect as rights and interests before any competent count, authority and jurisdiction Maxival and/or Velplus grades/products are manufactured with table lockniques to control composition, distribution, size and shape of non-metallic inclusions for improved

The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements specified by corufled norms and standards. Should the product as used for more severe, crutcal and/or in any case different applications than those the moterial is generally intended for, any different and/or supplementary requirements shall be specifically demanded, at least, upon order of the Product by the Purchaser, Accidione Validation. SpA shall not be responsible for any improper use of the Products

Vicenza, 09/05/17 VCC0008 - WESTONTOST

(Mod. MCEZ)

I colleudatore di etablismente i der Werkensch agige / Works Inspector / L'agent d'usine

M.RIZZOTTÓ PLAN

Pagina - 3 di 3

### MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M17- DATE: J	4-1 AN Û	9 21	1 <u>50x02</u> 000	PO/BATCH NO.: (2) 38599/	5030
MATERIAL CERT REC'D:  QUANTITY RECEIVED:  QUANTITY INSPECTED:  QUANTITY REJECTED:	14	5 (13	3/2)	THICKNESS ORDERED: 1.250 THICKNESS RECEIVED: 1.250 SHEET SIZE ORDERED: WAS SHEET SIZE RECEIVED:	
	,				
DESCRIPTION	(Cr	CR neck (N)		COMMENTS	
SURFACE DAMAGE	Y	N			$\dashv$
CORRECT FINISH	(8)	N			-
CORROSION	Y	N			$\overline{}$
CORRECT GRAIN DIRECTION	(4)	N			$\overline{}$
ORRECT MATERIAL PER M-DRAWING	Y	N	Astm364		
CORRECT THICKNESS	(Y)	N	(0		$\neg$
PHOTO REQUIRED	Y	(N)	,		
CORRECT REF # TO LINK CERT	8	N	Heat H 2	71864	
DRRECT MATERIAL IDENTFICATION	0	N	, , ,		$\neg$
CORRECT M# ON THE MATERIAL	(Y)	N			
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	N			
DOES THIS REQUIRE AN		4			

CUT SAMPLE PIECE OF	MATERIAL A	ND PREFOR	M A HARDNE	SS CHECK.	
	RECORD RES	SULTS BELOV	N		
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D	WEBSTER
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION	DAS	ENGINEERING SIGNOFF (if required)
INSPECTED BY:	<b>11</b> 9-89	SIGNED OFF BY:
DATE:	JAN 0 9 2018	DATE:

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

**EXTRUSION REPORT** 

# SPECIFICATION CONTROL DRAWING

4

N

O

PURCHASE MATERIAL: 17-4 PH / TYPE 630 / S17400 SS BAR GRAIN MUST BE ALONG LENGTH OF BAR MINIMUM YIELD STRENGTH PER TABLE MINIMUM ULTIMATE STRENGTH PER TABLE SPECIFICATION:

O

B

M17-4- HHHHH-B T.TTT X WW.WWW COND THICK WIDTH AMS 5604 OR AMS 5643 OR ASTM A693 OR ASTM 564

B B

PART NUMBER:

B

MATERIAL CONDITION TABLE:

WHERE: THHHH SPECIFIES THE MATERIAL CONDITION (PER TABLE BELOW)
T.TIT SPECIFIES THE THICKNESS
WW.WWW SPECIFIES THE WIDTH

3

(OMITTED) H900 H925 H1025 H1075 H1100 H1150 NONE SPECIFIED (CONDITION A NOT ACCEPTABLE) H900 H925 H1005 H1006 CONDITION MIN YIELD TENSILE STRENGTH (KSI)

100

150

MIN ULTIMATE TENSILE STRENGTH (KSI)

NOTES: MATERIAL IN H900 AND H925 CONDITION NOT RECOMMENDED FOR TENSION OR SHEAR APPLICATIONS IN COLD WEATHER CONDITIONS MATERIAL IN H900 AND H925 CONDITION NOT RECOMMENDED FOR APPLICATIONS WHERE STRESS CORROSION CRACKING IS POSSIBLE

CONDA

CONDITION A (SOLUTION TREATED)

170 155 115 115 105

190 170 145 135

CONDITION A NOT TO BE USED IN DESIGN FOR FINAL PRODUCT AND SHOULD ALWAYS BE HEAT TREATED

В

B

EXAMPLES:

PART NUMBER M17-4-B0,250X4,000 M17-4-H0,250X4,000 M17-4-H1025-B0,500X3,250 M17-4-CONDA-B0,750X2,500

PART 0.250" X 4.000" BAR MIN UTS = 150 KSI, MIN YTS = 100 KSI 1.000" X 2.500" BAR H900 CONDITION 0.500" X 3.250" BAR H1025 CONDITION 0.750" X 2.500" BAR A CONDITION

ECN17-728 ECN17-728

0

APPROVED

DE APPR. MFG. APPR. APPROVED CHECKED DRAWN DESIGN REV. ₿ NEW ISSUE (CIR17-107) 17.09.14 CP 47 물 용 용 용 M17-4-B DESCRIPTION 17-4 SS BAR TITLE COPYRIGHT © 2002 BY DART AEROSPACE LTD

THE DOCUMENT IS THEN THE COST OFFICE. LET B. SHE STORES CONTINUE THAT IS,
NOT TO BE USED FROM THE PROPER OF COST OR CONSUMENTED TO ANY OTHER POSCOS WITHOUT
VINITION FROM THE STATE OF THE DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA O BY DS SHEET 1 OF 02.04.18 17.09.14 DATE REV. B SCALE NTS

>

0

B

N